GENERAL INDEX

SWAGED FITTINGS and FERRULES

Swaged Ferrules	Page	01.01.005
Ferrules to Crimp	Page	01.02.005
JIC 37º	Page	01.03.005
L Metric Series	Page	01.04.005
S Metric Series	Page	01.05.005
SAE Flange 3000	Page	01.06. 005
SAE Flange 6000	Page	01.07.010
Stand Pipe	Page	01.08.005
Gas Series	Page	01.09.005

ADAPTORS

JIC 37º	Page	02.03.005
BSP / BSPT	Page	02.10.005
NPT	Page	02.11.005
BOUCHON	Page	02.12.005

CUTTING RING FITTINGS

DIN L / DIN S Series	Page	03.13.005
Gas Series	Page	03.08.005

MISCELLANEOUS

Miscellaneous products	Page	04.14.005

SWAGED FITTINGS AND FERRULES
- INDEX -

SWAGED FERRULES

	Page		Page
Non skive R1AT	01.01.005	Skive R9R	01.01.010
Skive R2AT	01.01.005	Smooth bore, Teflon coated and stainless	01.01.010
Non skive R2AT	01.01.005	Termoplastic R7 R8 TAC	01.01.010

FERRULES TO CRIMP BSP / BSPT / NPT

	Page		Page
Male BSP	01.02.005	Male NPT	01.02.015
Female BSP	01.02.005	Male Gaz Taper	01.02.015
Female BSP 45°	01.02.010	Female Flat seat	01.02.020
Female BSP 90°	01.02.010		

JIC 37°

	Page		Page
Male JIC	01.03.005	Female JIC 45°	01.03.010
Female JIC	01.03.005	Female JIC 90°	01.03.010

L METRIC SERIES

	Page		Page
Male DIN L	01.04.005	Female DIN L 45°	01.04.010
Female DIN L	01.04.005	Female DIN L 90°	01.04.010

S METRIC SERIES

	Page		Page
Male DIN S	01.05.005	Female DIN S 45°	01.05.010
Female DIN S	01.05.005	Female DIN S 90°	01.05.010

SAE FLANGES 3000

	Page
3000 PSI	01.06.005
3000 PSI 45°	01.06.005
3000 PSI 90°	01.06.005

SAE FLANGES 6000

	Page
6000 PSI	01.07.005
6000 PSI 45°	01.07.005
6000 PSI 90°	01.07.005

STAND PIPES

	Page		Page
Metric straight standpipe	01.08.005	90° metric straight standpipe	01.08.010
Gas straight standpipe	01.08.005	90° gas straight standpipe	01.08.010

GAS SERIE


	Page
Male gas pipe	01.09.005
Female gas pipe	01.09.005
Female gas pipe 90°	01.09.005

SWAGED FERRULES

Index


R1AT non-skive

Inside diameter		Dimensions		Reference
mm	inch	D	L	
4.8	3/16"	19	29.16	**472091803**
6.4	1/4"	22.5	25.5	**472091804**
7.9	5/16"	24	25.5	**472091805**
9.5	3/8"	26.5	26.5	**472091806**
12.7	1/2"	30	27.5	**472091808**
15.9	5/8"	33.5	29.5	**472091810**
19.1	3/4"	37.5	33.5	**472091812**
25.4	1"	44.5	43	**472091816**
31.7	1"1/4	54	47	**472091820**
38.1	1"1/2	63.5	51	**472091824**
50.8	2"	76	79	**472091832**




R2AT skive

Inside diameter		Dimensions		Reference
mm	inch	D	L	
6.4	1/4"	20.5	30.5	**472099604**
7.9	5/16"	22	30.5	**472099605**
9.5	3/8"	25.5	32	**472099606**
12.7	1/2"	30	34	**472099608**
15.9	5/8"	33.5	37	**472099610**
19.1	3/4"	38	42.5	**472099612**
25.4	1"	46	51	**472099616**
31.7	1"1/4	55.5	59	**472099620**
38.1	1"1/2	62	63.5	**472099624**
50.8	2"	76	79	**472099632**



R2AT non-skive

Inside diameter		Dimensions		Reference
mm	inch	D	L	
4.8	3/16"	19	29.16	**472091803**
6.4	1/4"	22.5	25.5	**472091804**
7.9	5/16"	24	25.5	**472091805**
9.5	3/8"	26.5	26.5	**472091806**
12.7	1/2"	30	27.5	**472091808**
15.9	5/8"	33.5	29.5	**472091810**
19.1	3/4"	37.5	33.5	**472091812**
25.4	1"	47.5	43	**4720918116**
31.7	1"1/4	60.4	47	**4720918120**
38.1	1"1/2	66	51	**4720918124**
50.8	2"	79.5	79	**4720918132**




SWAGE FERRULES

Index


R9R skive

Inside diameter		Dimensions		Reference
mm	inch	D	L	
6.4	1/4"	22	30.5	**4720996404**
9.5	3/8"	25.5	32	**4720996406**
12.7	1/2"	30	34	**4720996408**
15.9	5/8"	34	37	**4720996410**
19.1	3/4"	38	42.5	**4720996412**
25.4	1"	46	51	**4720996416**
31.7	1"1/4	50.2	59	**4720996420**
38.1	1"1/2	65	63.5	**4720996424**
50.8	2"	80	79	**4720996432**




Smooth bore, Teflon coated and stainless steel braided

Inside diameter		Dimensions		Reference
mm	inch	D	L	
4.8	3/16"	12	27.5	**472097703**
6.4	1/4"	14.5	30.5	**472097704**
7.9	5/16"	16	30.5	**472097705**
9.5	3/8"	19	32	**472097706**
12.7	1/2"	24	34	**472097708**
15.9	5/8"	27	37	**472097710**
19.1	3/4"	30	42.5	**472097712**
25.4	1"	36.5	51	**472097716**



Termoplastic R7 R8 TAC

Inside diameter		Dimensions		Reference
mm	inch	D	L	
4.8	3/16"	14.8	32	**4717097803**
6.4	1/4"	16.5	30.5	**4717097704**
7.9	5/16"	20	30.5	**4717097705**
9.5	3/8"	21	32	**4717097706**
12.7	1/2"	26	34	**4717097708**
15.9	5/8"	30	37	**4717097810**
19.1	3/4"	33	42.5	**4717097812**
25.4	1"	41	51	**4717097816**




FERRULES TO CRIMP BSP / BSPT / NPT

Index


Male BSP

Diameter	Thread	Reference
3/16"	1/8"	**473110203**
1/4"	1/8"	**472190477**
1/4"	1/4"	**472190466**
1/4"	3/8"	**472190474**
5/16"	1/4"	**473110405**
5/16"	3/8"	**472190556**
3/8"	1/4"	**473110406**
3/8"	3/8"	**472190663**
3/8"	1/2"	**472190664**
1/2"	3/8"	**472190878**
1/2"	1/2"	**472190868**
1/2"	5/8"	**472190869**
1/2"	3/4"	**473111208**
5/8"	1/2"	**473110810**
5/8"	5/8"	**472191047**
5/8"	3/4"	**472191048**
3/4"	1/2"	**473110812**
3/4"	3/4"	**472191255**
3/4"	1"	**473111612**
1"	3/4"	**473111216**
1"	1"	**472191642**
1"1/4	1"1/4	**473112020**
1"1/2	1"1/2	**473112424**
2"	2"	**473113232**



Female BSP

Diameter	Thread	Reference
3/16"	1/8"	**474710203**
1/4"	1/8"	**471750815**
1/4"	1/4"	**471750279**
1/4"	3/8"	**471750088**
5/16"	1/4"	**474710405**
5/16"	3/8"	**471750012**
3/8"	1/4"	**471750080**
3/8"	3/8"	**471750280**
3/8"	1/2"	**471750007**
1/2"	3/8"	**471750091**
1/2"	1/2"	**471750281**
1/2"	5/8"	**471750001**
1/2"	3/4"	**471750090**
5/8"	1/2"	**474710810**
5/8"	5/8"	**471750282**
5/8"	3/4"	**471750082**
3/4"	1/2"	**471750092**
3/4"	3/4"	**471750283**
3/4"	1"	**474711612**
1"	3/4"	**474711216**
1"	1"	**471750284**
1"1/4	1"1/4	**474712020**
1"1/2	1"1/2	**474712424**
2"	2"	**474713232**




CRIMP FERRULES BSP / BSPT / NPT

Index


Female BSP 45°

Diameter	Thread	Reference
3/16"	1/8"	**474720203**
1/4"	1/8"	**474720204**
1/4"	1/4"	**471750183**
1/4"	3/8"	**471750160**
5/16"	1/4"	**474720405**
5/16"	3/8"	**471750013**
3/8"	1/4"	**474720406**
3/8"	3/8"	**471750184**
3/8"	1/2"	**471750008**
1/2"	3/8"	**474720608**
1/2"	1/2"	**471750185**
1/2"	5/8"	**471750002**
1/2"	3/4"	**474721208**
5/8"	1/2"	**474720810**
5/8"	5/8"	**471750186**
5/8"	3/4"	**474721210**
3/4"	1/2"	**474720812**
3/4"	3/4"	**471750187**
3/4"	1"	**474721612**
1"	3/4"	**474721216**
1"	1"	**471750188**
1"1/4	1"1/4	**474722020**
1"1/2	1"1/2	**474722424**
2"	2"	**474723232**



Female BSP 90°

Diameter	Thread	Reference
3/16"	1/8"	**474730203**
1/4"	1/8"	**474730204**
1/4"	1/4"	**471750192**
1/4"	3/8"	**471750170**
5/16"	1/4"	**474730405**
5/16"	3/8"	**471750014**
3/8"	1/4"	**474730406**
3/8"	3/8"	**471750193**
3/8"	1/2"	**471750009**
1/2"	3/8"	**471750171**
1/2"	1/2"	**471750194**
1/2"	5/8"	**471750004**
1/2"	3/4"	**474731208**
5/8"	1/2"	**474730810**
5/8"	5/8"	**471750195**
5/8"	3/4"	**471750105**
3/4"	1/2"	**474730812**
3/4"	3/4"	**471750196**
3/4"	1"	**474731612**
1"	3/4"	**474731216**
1"	1"	**471750197**
1"1/4	1"1/4	**474732020**
1"1/2	1"1/2	**474732424**
2"	2"	**474733232**




FERRULES TO CRIMP BSP / BSPT / NPT

Index


Male NPT

Diameter	Thread	Reference
3/16"	1/8"	**472190312**
1/4"	1/8"	**472190405**
1/4"	1/4"	**472190404**
1/4"	3/8"	**472190427**
5/16"	1/4"	**472190516**
5/16"	3/8"	**472190541**
3/8"	1/4"	**472190607**
3/8"	3/8"	**472190619**
3/8"	1/2"	**472190641**
1/2"	3/8"	**472190820**
1/2"	1/2"	**472190821**
1/2"	5/8"	**471211008**
1/2"	3/4"	**472190857**
5/8"	1/2"	**472191014**
5/8"	5/8"	**471211010**
5/8"	3/4"	**472191020**
3/4"	1/2"	**472191258**
3/4"	3/4"	**472191217**
3/4"	1"	**472191259**
1"	3/4"	**472191606**
1"	1"	**472191605**
1"1/4	1"1/4	**471212020**
1"1/2	1"1/2	**471212424**
2"	2"	**471213232**



Tapered gas male


Diameter	Thread	Reference
3/16"	1/8"	**473210203**
1/4"	1/8"	**472190472**
1/4"	1/4"	**472190416**
1/4"	3/8"	**472190473**
5/16"	1/4"	**472190511**
5/16"	3/8"	**472190512**
3/8"	1/4"	**472190670**
3/8"	3/8"	**472190617**
3/8"	1/2"	**472190629**
1/2"	3/8"	**472190830**
1/2"	1/2"	**472190841**
1/2"	5/8"	**473211008**
1/2"	3/4"	**473211208**
5/8"	1/2"	**472191011**
5/8"	5/8"	**472191029**
5/8"	3/4"	**472191054**
3/4"	1/2"	**473210812**
3/4"	3/4"	**472191233**
3/4"	1"	**473211612**
1"	3/4"	**473211216**
1"	1"	**472191609**
1"1/4	1"1/4	**473212020**
1"1/2	1"1/2	**473212424**
2"	2"	**473213232**



FERRULES TO CRIMP BSP / BSPT / NPT

Index

Flat sea (Female)




Diameter	Thread	Reference
3/16"	1/8"	**471750276**
1/4"	1/8"	**474210204**
1/4"	1/4"	**471750223**
1/4"	3/8"	**471750296**
5/16"	1/4"	**474210405**
5/16"	3/8"	**471759108**
3/8"	1/4"	**474210406**
3/8"	3/8"	**471750277**
3/8"	1/2"	**471759083**
1/2"	3/8"	**471759107**
1/2"	1/2"	**471759084**
1/2"	5/8"	**471750297**
1/2"	3/4"	**471759076**
5/8"	1/2"	**471750275**
5/8"	5/8"	**471750270**
5/8"	3/4"	**474211210**
3/4"	1/2"	**474210812**
3/4"	3/4"	**471750094**
3/4"	1"	**474211612**
1"	3/4"	**474211216**
1"	1"	**471750271**
1"1/4	1"1/4	**474212020**
1"1/2	1"1/2	**474212424**
2"	2"	**474213232**

JIC 37°

Index


Male JIC

Diameter	Thread	Reference
3/16"	7/16"	**472190313**
1/4"	7/16"	**472190431**
1/4"	1/2"	**472190406**
1/4"	9/16"	**472190432**
5/16"	1/2"	**472190536**
5/16"	9/16"	**472190515**
3/8"	1/2"	**472190673**
3/8"	9/16"	**472190606**
3/8"	3/4"	**472190620**
1/2"	3/4"	**472190818**
1/2"	7/8"	**472190819**
1/2"	1"1/16	**472190825**
5/8"	7/8"	**472191013**
5/8"	1"1/16	**472191033**
3/4"	1"1/16	**472191216**
3/4"	1"3/16	**472191240**
3/4"	1"5/16	**472191241**
1"	1"1/16	**472191635**
1"	1"3/16	**472191643**
1"	1"5/16	**472191607**
1"	1"5/8	**472191638**
1"1/4	1"5/8	**471112620**
1"1/2	1"7/8	**471113024**
2"	2"1/2	**471114032**



Female JIC

Diameter	Thread	Référence
3/16"	7/16"	**471750241**
1/4"	7/16"	**471750579**
1/4"	1/2"	**471750288**
1/4"	9/16"	**471750870**
5/16"	1/2"	**471750011**
5/16"	9/16"	**471750010**
3/8"	1/2"	**471750222**
3/8"	9/16"	**471750289**
3/8"	3/4"	**471750871**
1/2"	3/4"	**471750290**
1/2"	7/8"	**471750358**
1/2"	1"1/16	**471750228**
5/8"	7/8"	**471750291**
5/8"	1"1/16	**471750873**
3/4"	1"1/16	**471750292**
3/4"	1"3/16	**471750163**
3/4"	1"5/16	**471750874**
1"	1"1/16	**472111716**
1"	1"3/16	**472111916**
1"	1"5/16	**471750293**
1"	1"5/8	**472112616**
1"1/4	1"5/8	**472112620**
1"1/2	1"7/8	**472113024**
2"	2"1/2	**472114032**




JIC 37°

Index


Female JIC 45°

Diameter	Thread	Reference
3/16"	7/16"	**472120703**
1/4"	7/16"	**471750876**
1/4"	1/2"	**471750201**
1/4"	9/16"	**472120904**
5/16"	1/2"	**471750015**
5/16"	9/16"	**471750018**
3/8"	1/2"	**472120806**
3/8"	9/16"	**471750202**
3/8"	3/4"	**471750877**
1/2"	3/4"	**471750203**
1/2"	7/8"	**471750878**
1/2"	1"1/16	**471750003**
5/8"	7/8"	**471750204**
5/8"	1"1/16	**471750162**
3/4"	1"1/16	**471750205**
3/4"	1"3/16	**472121912**
3/4"	1"5/16	**472122116**
1"	1"1/16	**472121716**
1"	1"3/16	**472121916**
1"	1"5/16	**471750206**
1"	1"5/8	**472122616**
1"1/4	1"5/8	**472122620**
1"1/2	1"7/8	**472123024**
2"	2"1/2	**472124032**



Female JIC 90°

Diameter	Thread	Reference
3/16"	7/16"	**472130703**
1/4"	7/16"	**471750880**
1/4"	1/2"	**471750207**
1/4"	9/16"	**471750087**
5/16"	1/2"	**471750016**
5/16"	9/16"	**471750017**
3/8"	1/2"	**471750884**
3/8"	9/16"	**471750208**
3/8"	3/4"	**471750881**
1/2"	3/4"	**471750209**
1/2"	7/8"	**471750882**
1/2"	1"1/16	**471750005**
5/8"	7/8"	**471750210**
5/8"	1"1/16	**471750161**
3/4"	1"1/16	**471750211**
3/4"	1"3/16	**471750164**
3/4"	1"5/16	**471750224**
1"	1"1/16	**472131716**
1"	1"3/16	**472131916**
1"	1"5/16	**471750212**
1"	1"5/8	**472132616**
1"1/4	1"5/8	**472132620**
1"1/2	1"7/8	**472133024**
2"	2"1/2	**472134032**




L Metric Serie

Index


Male DIN L

Diameter	Tube diameter	Thread	Reference
3/16"	06	12 X 150	**476210603**
3/16"	08	14 X 150	**476210803**
1/4"	06	12 X 150	**472190426**
1/4"	08	14 X 150	**472190414**
1/4"	10	16 X 150	**472190410**
5/16"	10	16 X 150	**472190504**
5/16"	12	18 X 150	**472190530**
3/8"	10	16 X 150	**472190640**
3/8"	12	18 X 150	**472190612**
1/2"	15	22 X 150	**472190807**
1/2"	18	26 X 150	**472190879**
5/8"	18	26 X 150	**472191015**
5/8"	22	30 X 200	**476212210**
3/4"	22	30 X 200	**472191208**
1"	28	36 X 200	**472191612**
1"1/4	35	45 X 200	**476213520**
1"1/2	42	52 X 200	**476214224**



Female DIN L

Diameter	Tube diameter	Thread	Reference
3/16"	06	12 X 150	**477610603**
3/16"	08	14 X 150	**477610803**
1/4"	06	12 X 150	**477610604**
1/4"	08	14 X 150	**477610804**
1/4"	10	16 X 150	**477611004**
5/16"	10	16 X 150	**477611005**
5/16"	12	18 X 150	**477611205**
3/8"	10	16 X 150	**477611006**
3/8"	12	18 X 150	**477611206**
1/2"	15	22 X 150	**477611508**
1/2"	18	26 X 150	**477611808**
5/8"	18	26 X 150	**477611810**
5/8"	22	30 X 200	**477612210**
3/4"	22	30 X 200	**477612212**
1"	28	36 X 200	**477612816**
1"1/4	35	45 X 200	**477613520**
1"1/2	42	52 X 200	**477614224**




L Metric Serie

Index


Female DIN L 45°

Diameter	Tube diameter	Thread	Reference
3/16"	06	12 X 150	**477620603**
1/4"	06	12 X 150	**477620604**
1/4"	08	14 X 150	**471750178**
1/4"	10	16 X 150	**477621004**
5/16"	10	16 X 150	**471750177**
5/16"	12	18 X 150	**477621205**
3/8"	10	16 X 150	**477621006**
3/8"	12	18 X 150	**471750181**
1/2"	15	22 X 150	**471750620**
1/2"	18	26 X 150	**477621808**
5/8"	18	26 X 150	**471750182**
3/4"	22	30 X 200	**477622212**
1"	28	36 X 200	**477622816**
1"1/4	35	45 X 200	**477623520**
1"1/2	42	52 X 200	**477624224**



Female DIN L 90°

Diameter	Tube diameter	Thread	Reference
3/16"	06	12 X 150	**477630603**
1/4"	06	12 X 150	**477630604**
1/4"	08	14 X 150	**471750174**
1/4"	10	16 X 150	**471750841**
5/16"	10	16 X 150	**471750628**
5/16"	12	18 X 150	**477631205**
3/8"	10	16 X 150	**471750175**
3/8"	12	18 X 150	**471750629**
1/2"	15	22 X 150	**471750842**
1/2"	18	26 X 150	**471750176**
5/8"	18	26 X 150	**471750843**
5/8"	22	30 X 200	**477632210**
3/4"	22	30 X 200	**477632212**
1"	28	36 X 200	**477632816**
1"1/4	35	45 X 200	**477633520**
1"1/2	42	52 X 200	**477634224**




S Metric Serie

Index


Male DIN S

Diameter	Tube diameter	Thread	Reference
3/16"	08	16 X 150	**476310803**
1/4"	06	14 X 150	**472190476**
1/4"	08	16 X 150	**472190413**
1/4"	10	18 X 150	**472190415**
5/16"	10	18 X 150	**472190505**
5/16"	12	20 X 150	**472190506**
3/8"	12	20 X 150	**472190674**
3/8"	14	22 X 150	**472190614**
1/2"	16	24 X 150	**472190823**
5/8"	20	30 X 200	**472191017**
3/4"	25	36 X 200	**472191209**
1"	30	42 X 200	**472191614**
1"1/4	38	52 X 200	**476313820**
1"1/2	42	52 X 200	**476314224**



Female DIN S

Diameter	Tube diameter	Thread	Reference
3/16"	06	14 X 150	**477710603**
3/16"	08	16 X 150	**477710803**
1/4"	06	14 X 150	**477710604**
1/4"	08	16 X 150	**477710804**
1/4"	10	18 X 150	**477711004**
5/16"	10	18 X 150	**477711005**
5/16"	12	20 X 150	**477711205**
3/8"	10	18 X 150	**477711006**
3/8"	12	20 X 150	**477711206**
3/8"	14	22 X 150	**477711406**
1/2"	16	24 X 150	**477711608**
5/8"	20	30 X 200	**477712010**
3/4"	25	36 X 200	**477712512**
1"	30	42 X 200	**477713016**
1"1/4	38	52 X 200	**477713820**




S Metric Serie

Index


Female DIN S 45°

Diameter	Tube diameter	Thread	Reference
3/16"	06	14 X 150	**477720603**
3/16"	08	16 X 150	**477720803**
1/4"	06	14 X 150	**477720604**
1/4"	08	16 X 150	**477720804**
1/4"	10	18 X 150	**477721004**
5/16"	10	18 X 150	**477721005**
5/16"	12	20 X 150	**477721205**
3/8"	10	18 X 150	**477721006**
3/8"	12	20 X 150	**477721206**
3/8"	14	22 X 150	**477721406**
1/2"	16	24 X 150	**477721608**
5/8"	20	30 X 200	**477722010**
3/4"	25	36 X 200	**477722512**
1"	30	42 X 200	**477723016**



Female DIN S 90°

Diameter	Tube diameter	Thread	Reference
3/16"	06	14 X 150	**477730603**
3/16"	08	16 X 150	**477730803**
1/4"	06	14 X 150	**477730604**
1/4"	08	16 X 150	**477730804**
1/4"	10	18 X 150	**477731004**
5/16"	10	18 X 150	**477731005**
5/16"	12	20 X 150	**477731205**
3/8"	10	18 X 150	**477731006**
3/8"	12	20 X 150	**477731206**
3/8"	14	22 X 150	**477731406**
1/2"	16	24 X 150	**477731608**
5/8"	20	30 X 200	**477732010**
3/4"	25	36 X 200	**477732512**
1"	30	42 X 200	**477733016**




Inox 316 L

SAE Flanges 3000

Index


3000 PSI

Diameter	Flange Head		Reference
	Inch	mm	
1/2 "	1/2"	30.1	**472190805**
1/2"	3/4"	38.1	**472190806**
5/8 "	1/2"	30.1	**472191004**
5/8"	3/4"	38.1	**472191005**
3/4 "	3/4"	38.1	**472191204**
3/4"	1"	44.4	**472191205**
1 "	1"	44.4	**472191616**
1"	1"1/4	50.8	**478112016**
1"1/4	1"1/4	50.8	**478112020**
1"1/4	1"1/2	60.3	**478112420**
1"1/2	1"1/2	60.3	**478112424**
2"	2"	71.4	**478113232**




3000 PSI 45°

Diameter	Flange Head		Reference
	Inch	mm	
1/2 "	1/2 "	30.1	**471740057**
1/2"	3/4"	30.1	**471740069**
5/8 "	1/2"	30.1	**471740301**
5/8"	3/4"	38.1	**471740068**
3/4 "	3/4"	38.1	**471740058**
3/4"	1"	44.4	**471740260**
1 "	1"	44.4	**471740059**
1"	1"1/4	50.8	**471740070**
1"1/4	1"1/4	50.8	**478122020**
1"1/4	1"1/2	60.3	**478122420**
1"1/2	1"1/2	60.3	**478122424**
2"	2"	71.4	**478123232**



3000 PSI 90°

Diameter	Flange Head		Reference
	Inch	mm	
1/2 "	1/2"	30.1	**471740063**
1/2"	3/4"	38.1	**471740280**
5/8 "	1/2"	30.1	**471740300**
5/8"	3/4"	38.1	**471740062**
3/4 "	3/4"	38.1	**471740064**
3/4"	1"	44.4	**471740281**
1 "	1"	44.4	**471740065**
1"	1"1/4	50.8	**471740284**
1"1/4	1"1/4	50.8	**478132020**
1"1/4	1"1/2	60.3	**478132420**
1"1/2	1"1/2	60.3	**478132424**
2"	2"	71.4	**478133232**




SAE Flanges 6000

Index


6000 PSI

Diameter	Flange Head		Reference
	Inch	mm	
1/2"	1/2"	31.8	**478610808**
1/2"	3/4"	41.3	**478611208**
5/8"	1/2"	31.8	**478610810**
5/8"	3/4"	41.3	**478611210**
3/4"	3/4"	41.3	**472191252**
3/4"	1"	47.6	**478611612**
1"	1"	47.6	**478611616**
1"	1"1/4	54.0	**478612016**
1"1/4	1"1/4	54.0	**478612020**
1"1/4	1"1/2	63.5	**478612420**
1"1/2	1"1/2	63.5	**478612424**
2"	2"	79.4	**478613232**




6000 PSI 45°

Diameter	Flange Head		Reference
	Inch	mm	
1/2"	1/2"	31.8	**471740230**
1/2"	3/4"	41.3	**478621208**
5/8"	1/2"	31.8	**478620810**
5/8"	3/4"	41.3	**478621210**
3/4"	3/4"	41.3	**471740232**
3/4"	1"	47.6	**471740233**
1"	1"	47.6	**471740234**
1"	1"1/4	54.0	**478622016**
1"1/4	1"1/4	54.0	**478622020**
1"1/4	1"1/2	63.5	**478622420**
1"1/2	1"1/2	63.5	**478622424**
2"	2"	79.4	**478623232**



6000 PSI 90°

Diameter	Flange Head		Reference
	Inch	mm	
1/2"	1/2"	31.8	**478630808**
1/2"	3/4"	41.3	**478631208**
5/8"	1/2"	31.8	**478630810**
5/8"	3/4"	41.3	**478631210**
3/4"	3/4"	41.3	**478631212**
3/4"	1"	47.6	**471740273**
1"	1"	47.6	**478631616**
1"	1"1/4	54.0	**471740274**
1"1/4	1"1/4	54.0	**478632020**
1"1/4	1"1/2	63.5	**478632420**
1"1/2	1"1/2	63.5	**478632424**
2"	2"	79.4	**478633232**




STANDPIPE

Index


Metric straight standpipe

Diameter		Reference
Inch	mm	
3/16"	06	**472190317**
3/16"	08	**472190318**
1/4"	06	**472190445**
1/4"	08	**472190411**
1/4"	10	**472190412**
5/16"	8	**472190545**
5/16"	10	**472190507**
5/16"	12	**472190508**
3/8"	10	**472190628**
3/8"	12	**472190609**
3/8"	14	**472190610**
1/2"	14	**472190812**
1/2"	15	**472190813**
1/2"	16	**472190871**
5/8"	16	**472191052**
5/8"	18	**472191007**
5/8"	20	**472191008**
5/8"	22	**472191049**
3/4"	20	**472191219**
3/4"	22	**472191207**
3/4"	25	**472191210**
1"	25	**472191650**
1"	28	**472191611**
1"	30	**472191613**
1"1/4	35	**475113520**
1"1/2	38	**475113824**
1"1/2	42	**475114224**
1"1/2	45	**475114524**



Gas straight standpipe

Diameter		Reference
Inch	mm	
5/16"	13	**472190517**
3/8"	13	**472190611**
1/2"	17	**472190872**
5/8"	21	**472191009**
3/4"	27	**472191212**
1"	33	**472191615**
1"1/4	42	**475214220**




STANDPIPES

Index


90° metric straight standpipe

Diameter		Reference
Inch	mm	
3/16"	06	**475130603**
3/16"	08	**475130803**
1/4"	06	**475130604**
1/4"	08	**471740803**
1/4"	10	**471740801**
5/16"	8	**475130805**
5/16"	10	**471740010**
5/16"	12	**471740805**
3/8"	10	**471740804**
3/8"	12	**471740302**
3/8"	14	**471740802**
1/2"	14	**475131408**
1/2"	15	**475131508**
1/2"	16	**471740800**
5/8"	16	**475131610**
5/8"	18	**471740012**
5/8"	20	**471740013**
5/8"	22	**475132210**
3/4"	20	**475132012**
3/4"	22	**471740014**
3/4"	25	**471740015**
1"	25	**475132516**
1"	28	**471740016**
1"	30	**471740017**
1"1/4	35	**475133520**
1"1/2	38	**475133824**
1"1/2	42	**475134224**
1"1/2	45	**475134524**



90° gas straight standpipe


Diameter		Reference
Inch	mm	
5/16"	13	**475231305**
3/8"	13	**475231306**
1/2"	17	**475231708**
5/8"	21	**475232110**
3/4"	27	**475232712**
1"	33	**475233316**
1"1/4	42	**475234220**




GAS SERIE

Index


Male gas pipe

Diameter		Thread	Reference	
Inch	mm			
5/16"	13	20 X 150	**472190509**	
3/8"	13	20 X 150	**472190615**	
1/2"	17	24 X 150	**472190824**	
5/8"	21	30 X 150	**472191018**	
3/4"	27	36 X 150	**472191211**	
1"	33	45 X 150	**472191617**	
1"1/2	42	52 X 150	**476414220**	

Female gas pipe

Diameter		Thread	Reference	
Inch	mm			
5/16"	13	20 X 150	**477411305**	
3/8"	13	20 X 150	**477411306**	
1/2"	17	24 X 150	**477411708**	
5/8"	21	30 X 150	**477412110**	
3/4"	21	30 X 150	**477412112**	
3/4"	27	36 X 150	**477412712**	
1"	33	45 X 150	**477413316**	
1"1/2	42	52 X 150	**477414220**	

90° female gas pipe

Diameter		Thread	Reference	
Inch	mm			
5/16"	13	20 X 150	**477431305**	
3/8"	13	20 X 150	**477431306**	
1/2"	17	24 X 150	**477431708**	
5/8"	21	30 X 150	**477432110**	
3/4"	21	30 X 150	**477432112**	
3/4"	27	36 X 150	**477432712**	
1"	33	45 X 150	**477433316**	
1"1/4	42	52 X 150	**477434220**	

ADAPTORS
- INDEX -

JIC 37°

	page
Equal Union	02.03.005
Elbow Equal to 90°	02.03.005
Equal Tee	02.03.005
Equal Cross	02.03.005
Bulkhead Equal Union	02.03.010
Bulkhead 90° Elbow	02.03.010
Bulkhead 45° Elbow	02.03.010
Bulkhead Equal Tee	02.03.010
90° Swivel Equal Union	02.03.015
45° Swivel Equal Union	02.03.015
Swivel Equal Tee	02.03.015
(upside down) Swivel Equal Tee	02.03.015
Male JIC X Male NPTF	02.03.020
Male JIC Elbow X 45° Male NPTF	02.03.025
Male JIC Elbow X 90° Male NPTF	02.03.030
Male JIC Tee X Male NPTF	02.03.030
Male JIC Tee X Male NPTF (upside down)	02.03.035
Male JIC X Female NPTF	02.03.035
Male JIC Elbow X 90° Female NPTF	02.03.035
Male JIC Tee X Female NPTF	02.03.040
Tee Male JIC X Female NPTF (upside down)	02.03.040
Swivel Female JIC X Male NPTF	02.03.040
Male JIC X Taper Gas Male	02.03.045
Male JIC Elbow X 90° Taper Gas Male	02.03.050
Male JIC Elbow X 45° Taper Gas Male	02.03.050
Male JIC X Cylindric Gas Male (cutting ring+seal)	02.03.055
Male JIC Elbow X 90° Cylindric Gas Male (cutting ring+seal)	02.03.060
Male JIC Elbow X 45° Cylindric Gas Male (cutting ring+seal)	02.03.060
Male JIC Tee X Cylindric Gas Male (cutting ring+seal)	02.03.065
Male JIC Tee X Upside Down Cylindric Gas Male (cutting ring+seal)	02.03.065
Male JIC X Cylindric Female Gas	02.03.065
Female JIC X Taper Gas Male	02.03.070
Female JIC X Cylindric Male Gas (cutting ring+seal)	02.03.070
Male JIC X Metric Cylindric Male (cutting ring+seal)	02.03.075
Male JIC Elbow X 90° Metric Cylindric Male (cutting ring+seal)	02.03.075
Female JIC X Metric Cylindric Male	02.03.080
Male JIC Equal Union X Male JIC	02.03.080
Male JIC Inequal Elbow X 90° Male JIC	02.03.080
Female JIC Reducing X Male JIC	02.03.085
Hexagonal Nut Metric Standpipe	02.03.085
Female JIC Plug	02.03.090
Male JIC Plug	02.03.090
Sleeve Metric Standpipe	02.03.090

Next ⟶

ADAPTORS
- INDEX -

BSP / BSPT

	page
Male BSP (60° cone) X Male BSP (60° cone)	02.10.005
Male BSP (60° cone) X Male Gas Taper	02.10.005
Female BSP (60° cone) X Male Gas Taper	02.10.010
Male BSP (60° cone) X Female BSP (60° cone)	02.10.010
Male Gas Taper X Male Gas Taper	02.10.010
Male Gas Taper X Male NPT	02.10.015
Male Gas Taper X Cylindric Female Gas	02.10.015
Taper Gas Male Elbow X 90° Cylindric Gas Female	02.10.015
Cylindric Female Gas X Cylindric Female Gas	02.10.020
Cylindric Female Gas Elbow X 90° Cylindric Female Gas	02.10.020
Equal Tee Female Gas Cylindric	02.10.020

NPT

	page
Male NPT X Male NPT	02.11.005
Réducing Female NPT X Male NPT	02.11.005
Male NPT Elbow X 90° Male NPT	02.11.010
Male NPT Elbow X 90° Female NPT	02.11.010
Male NPT X Male BSP (60°cone)	02.11.015

Plug

	page
Male NPT Plug	02.12.005
Male BSP Plug (60° cone)	02.12.005
Tapered Male Gas Plug	02.12.005


← Previous

JIC 37°

Index


Equal Union

Tube diameter inch	Tube diameter mm	JIC 37°	Reference
1/4"	6	7/16"	**47910061**
5/16"	8	1/2"	**47910062**
3/8"	10	9/16"	**47910063**
1/2"	12	3/4"	**47910064**
5/8"	16	7/8"	**47910065**
3/4"	20	1"1/16	**47910066**
1"	25	1"5/16	**47910067**
1"1/4	32	1"5/8	**47910068**
1"1/2	38	1"7/8	**47910069**
2"	42	2"1/2	**47910070**




Elbow Equal to 90°

Tube diameter inch	Tube diameter mm	JIC 37°	Reference
1/4"	6	7/16"	**47910431**
5/16"	8	1/2"	**47910432**
3/8"	10	9/16"	**47910433**
1/2"	12	3/4"	**47910434**
5/8"	16	7/8"	**47910435**
3/4"	20	1"1/16	**47910436**
1"	25	1"5/16	**47910437**
1"1/4	32	1"5/8	**47910438**
1"1/2	38	1"7/8	**47910911**
2"	42	2"1/2	**47910439**




Equal Tee

Tube diameter inch	Tube diameter mm	JIC 37°	Reference
1/4"	6	7/16"	**47911124**
5/16"	8	1/2"	**47911125**
3/8"	10	9/16"	**47911126**
1/2"	12	3/4"	**47911127**
5/8"	16	7/8"	**47911128**
3/4"	20	1"1/16	**47911129**
1"	25	1"5/16	**47911130**
1"1/4	32	1"5/8	**47911800**
1"1/2	38	1"7/8	**47911838**
2"	42	2"1/2	**47911839**



Equal Cross

Tube diameter inch	Tube diameter mm	JIC 37°	Référence
1/4"	6	7/16"	**47911200**
5/16"	8	1/2"	**47911201**
3/8"	10	9/16"	**47911202**
1/2"	12	3/4"	**47911203**
5/8"	16	7/8"	**47911204**
3/4"	20	1"1/16	**47911206**
1"	25	1"5/16	**47911207**




JIC 37°

Index


Bulkhead Equal Union

Tube diameter		JIC 37°	Reference	
inch	mm			
1/4"	6	7/16"	**47910722**	
5/16"	8	1/2"	**47910723**	
3/8"	10	9/16"	**47910724**	
1/2"	12	3/4"	**47910725**	
5/8"	16	7/8"	**47910726**	
3/4"	20	1"1/16	**47910727**	
1"	25	1"5/16	**47910728**	
1"1/4	32	1"5/8	**47911700**	
1"1/2	38	1"7/8	**47911695**	




Bulkhead 90° Elbow

Tube diameter		JIC 37°	Reference	
inch	mm			
1/4"	6	7/16"	**47910475**	
5/16"	8	1/2"	**47910476**	
3/8"	10	9/16"	**47910477**	
1/2"	12	3/4"	**47910478**	
5/8"	16	7/8"	**47910479**	
3/4"	20	1"1/16	**47910480**	
1"	25	1"5/16	**47910481**	
1"1/4	32	1"5/8	**47910944**	
1"1/2	38	1"7/8	**47912200**	




Bulkhead 45° Elbow

Tube diameter		JIC 37°	Reference	
inch	mm			
1/4"	6	7/16"	**47911003**	
5/16"	8	1/2"	**47911004**	
3/8"	10	9/16"	**47911005**	
1/2"	12	3/4"	**47911006**	
5/8"	16	7/8"	**47911007**	
3/4"	20	1"1/16	**47911008**	
1"	25	1"5/16	**47911009**	
1"1/4	32	1"5/8	**47911030**	



Bulkhead Equal Tee

Tube diameter		JIC 37°	Reference	
inch	mm			
1/4"	6	7/16"	**47912240**	
5/16"	8	1/2"	**47912245**	
3/8"	10	9/16"	**47912241**	
1/2"	12	3/4"	**47912242**	
5/8"	16	7/8"	**47912243**	
3/4"	20	1"1/16	**47912244**	




JIC 37°

Index


90° Swivel Equal Union

Tube diameter		JIC 37°	Reference
inch	mm		
1/4"	6	7/16"	**47910986**
5/16"	8	1/2"	**47910987**
3/8"	10	9/16"	**47910988**
1/2"	12	3/4"	**47910989**
5/8"	16	7/8"	**47910990**
3/4"	20	1"1/16	**47910991**
1"	25	1"5/16	**47910992**
1"1/4	32	1"5/8	**47910993**
1"1/2	38	1"7/8	**47912205**




45° Swivel Equal Union

Tube diameter		JIC 37°	Reference
inch	mm		
1/4"	6	7/16"	**47911053**
5/16"	8	1/2"	**47911054**
3/8"	10	9/16"	**47911055**
1/2"	12	3/4"	**47911056**
5/8"	16	7/8"	**47911057**
3/4"	20	1"1/16	**47911058**
1"	25	1"5/16	**47911059**
1"1/4	32	1"5/8	**47911060**




Swivel Equal Tee

Tube diameter		JIC 37°	Reference
inch	mm		
1/4"	6	7/16"	**47911808**
5/16"	8	1/2"	**47911809**
3/8"	10	9/16"	**47911810**
1/2"	12	3/4"	**47911811**
5/8"	16	7/8"	**47911812**
3/4"	20	1"1/16	**47911813**
1"	25	1"5/16	**47911814**
1"1/4	32	1"5/8	**47911815**
1"1/2	38	1"7/8	**47912186**



(Upside Down) Swivel Equal Tee


Tube diameter		JIC 37°	Reference
mm	mm		
1/4"	6	7/16"	**47911816**
5/16"	8	1/2"	**47911817**
3/8"	10	9/16"	**47911818**
1/2"	12	3/4"	**47911819**
5/8"	16	7/8"	**47911820**
3/4"	20	1"1/16	**47911821**
1"	25	1"5/16	**47911822**
1"1/4	32	1"5/8	**47911823**
1"1/2	38	1"7/8	**47912184**



JIC 37°

Index

Male JIC X Male NPTF




Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910081**
			1/4"	**47910083**
			3/8"	**47910074**
			1/2"	**47910755**
5/16"	8	1/2"	1/8"	**47910082**
			1/4"	**47910084**
			3/8"	**47910075**
3/8"	10	9/16"	1/8"	**47910756**
			1/4"	**47910085**
			3/8"	**47910086**
			1/2"	**47910076**
1/2"	12	3/4"	1/4"	**47910071**
			3/8"	**47910087**
			1/2"	**47910088**
			3/4"	**47910090**
5/8"	16	7/8"	3/8"	**47910130**
			1/2"	**47910089**
			3/4"	**47910091**
3/4"	20	1"1/16	1/2"	**47910073**
			3/4"	**47910092**
			1"	**47910094**
1"	25	1"5/16	3/4"	**47910093**
			1"	**47910095**
			1"1/4	**47910096**
1"1/4	32	1"5/8	1"	**47911703**
			1"1/4	**47910097**
			1"1/2	**47911704**
1"1/2	38	1"7/8	1"1/2	**47910098**
2"	42	2"1/2	2"	**47910099**
		3"	2"1/2	**47910072**
		3" 1/2	3"	**47910077**

JIC 37°

Index

Male JIC Elbow X 45° Male NPTF




Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910301**
			1/4"	**47910303**
5/16"	8	1/2"	1/8"	**47910302**
			1/4"	**47910304**
3/8"	10	9/16"	1/8"	**47911192**
			1/4"	**47910305**
			3/8"	**47910306**
			1/2"	**47910757**
1/2"	12	3/4"	1/4"	**47912206**
			3/8"	**47910307**
			1/2"	**47910308**
			3/4"	**47911193**
5/8"	16	7/8"	3/8"	**47911194**
			1/2"	**47910309**
			3/4"	**47910310**
3/4"	20	1"1/16	1/2"	**47911031**
			3/4"	**47910311**
			1"	**47910313**
1"	25	1"5/16	3/4"	**47910312**
			1"	**47910314**
1"1/4	32	1"5/8	1"	**47911027**
			1"1/4	**47910316**
1"1/2	38	1"7/8	1"1/2	**47910318**

JIC 37°

Index


Male JIC Elbow X 90° Male NPTF

Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910331**
			1/4"	**47910333**
			3/8"	**47910336**
			1/2"	**47910947**
5/16"	8	1/2"	1/8"	**47910332**
			1/4"	**47910334**
			3/8"	**47910948**
3/8"	10	9/16"	1/8"	**47910353**
			1/4"	**47910335**
			3/8"	**47910337**
			1/2"	**47910354**
1/2"	12	3/4"	1/4"	**47910356**
			3/8"	**47910338**
			1/2"	**47910339**
			3/4"	**47910342**
5/8"	16	7/8"	3/8"	**47910355**
			1/2"	**47910340**
			3/4"	**47910343**
3/4"	20	1"1/16	1/2"	**47910341**
			3/4"	**47910344**
			1"	**47910346**
1"	25	1"5/16	3/4"	**47910345**
			1"	**47910347**
			1"1/4	**47910348**
1"1/4	32	1"5/8	1"	**47910949**
			1"1/4	**47910349**
			1"1/2	**47910350**
1"1/2	38	1"7/8	1"1/2	**47910351**
2"	42	2"1/2	2"	**47910352**
		3"	2"1/2	**47910357**



Male JIC Tee X Male NPTF

Tube Diameter		JIC	NPTF	Référence
inch	mm			
1/4"	6	7/16"	1/8"	**47911104**
			1/4"	**47911105**
5/16"	8	1/2"	1/8"	**47911106**
			1/4"	**47911108**
3/8"	10	9/16"	1/4"	**47911107**
			3/8"	**47911195**
1/2"	12	3/4"	3/8"	**47911109**
			1/2"	**47911110**
5/8"	16	7/8"	1/2"	**47911111**
3/4"	20	1"1/16	3/4"	**47911112**
1"	25	1"5/16	1"	**47911113**
1"1/4	32	1"5/8	1"1/4	**47912185**




JIC 37°

Index


Male JIC Tee X Male NPTF (Upside Down)

Tube diameter inch	Tube diameter mm	JIC	NPTF	Reference
1/4"	6	7/16"	1/8"	**47911131**
			1/4"	**47911132**
5/16"	8	1/2"	1/8"	**47911133**
			1/4"	**47911134**
3/8"	10	9/16"	1/4"	**47911135**
			3/8"	**47911137**
1/2"	12	3/4"	3/8"	**47911136**
			1/2"	**47911191**
5/8"	16	7/8"	1/2"	**47911138**
3/4"	20	1"1/16	3/4"	**47911139**
1"	25	1"5/16	1"	**47911140**
1"1/4	32	1"5/8	1"1/4	**47912198**




Male JIC X Female NPTF

Tube diameter inch	Tube diameter mm	JIC	NPTF	Reference
1/4"	6	7/16"	1/8"	**47910241**
			1/4"	**47910243**
5/16"	8	1/2"	1/8"	**47910242**
			1/4"	**47910244**
3/8"	10	9/16"	1/4"	**47910245**
			3/8"	**47910246**
1/2"	12	3/4"	3/8"	**47910247**
			1/2"	**47910254**
5/8"	16	7/8"	1/2"	**47910248**
3/4"	20	1"1/16	1/2"	**47911771**
			3/4"	**47910249**
1"	25	1"5/16	1"	**47910250**
1"1/4	32	1"5/8	1"1/4	**47910251**
1"1/2	38	1"7/8	1"1/2	**47910252**
2"	50	2"1/2	2"	**47910253**



Male JIC Elbow X 90° Female NPTF

Tube diameter inch	Tube diameter mm	JIC	NPTF	Reference
1/4"	6	7/16"	1/8"	**47910449**
			1/4"	**47910450**
5/16"	8	1/2"	1/8"	**47910451**
			1/4"	**47910452**
3/8"	10	9/16"	1/8"	**47910983**
			1/4"	**47910453**
			3/8"	**47910454**
1/2"	12	3/4"	1/4"	**47910984**
			3/8"	**47910455**
			1/2"	**47910456**
5/8"	16	7/8"	1/2"	**47910457**
3/4"	20	1"1/16	1/2"	**47910985**
			3/4"	**47910458**
1"	25	1"5/16	1"	**47910459**
1"1/4	32	1"5/8	1"1/4	**47910460**
1"1/2	38	1"7/8	1"1/2	**47910461**




JIC 37°

Index


Male JIC Tee X Female NPTF

Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47911115**
			1/4"	**47911117**
5/16"	8	1/2"	1/8"	**47911118**
3/8"	10	9/16"	1/4"	**47911119**
1/2"	12	3/4"	3/8"	**47911120**
5/8"	16	7/8"	1/2"	**47911121**
3/4"	20	1"1/16	3/4"	**47911122**
1"	25	1"5/16	1"	**47911123**
1"1/4	32	1"5/8	1"1/4	**47911224**




Male JIC Tee X Female NPTF (Upside Down)

Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47911141**
			1/4"	**47911142**
5/16"	8	1/2"	1/8"	**47911143**
3/8"	10	9/16"	1/4"	**47911144**
1/2"	12	3/4"	3/8"	**47911145**
			1/2"	**47911806**
5/8"	16	7/8"	1/2"	**47911146**
3/4"	20	1"1/16	3/4"	**47911147**
1"	25	1"5/16	1"	**47911148**
1"1/4	32	1"5/8	1"1/4	**47911221**




Swivel Female JIC X Male NPTF

Tube diameter		JIC	NPTF	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47911868**
			1/4"	**47912310**
5/16"	8	1/2"	1/4"	**47912311**
3/8"	10	9/16"	1/4"	**47912312**
			3/8"	**47912313**
1/2"	12	3/4"	3/8"	**47912314**
			1/2"	**47911869**
5/8"	16	7/8"	3/8"	**47912315**
			1/2"	**47912316**
3/4"	20	1"1/16	1/2"	**47912317**
			3/4"	**47912318**
1"	25	1"5/16	3/4"	**47912319**
			1"	**47912320**
1"1/4	32	1"5/8	1"1/4	**47912321**



Index


Male JIC X Taper Gas Male



Tube diameter		JIC	BSPT	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910141**
			1/4"	**47910143**
			3/8"	**47911848**
5/16"	8	1/2"	1/8"	**47911706**
			1/4"	**47910144**
			3/8"	**47911486**
			1/2"	**47911707**
3/8"	10	9/16"	1/4"	**47910145**
			3/8"	**47910147**
			1/2"	**47911487**
1/2"	12	3/4"	1/4"	**47910146**
			3/8"	**47910148**
			1/2"	**47910150**
			3/4"	**47911708**
5/8"	16	7/8"	3/8"	**47910149**
			1/2"	**47910151**
			3/4"	**47910152**
3/4"	20	1"1/16	1/2"	**47910158**
			3/4"	**47910153**
			1"	**47911709**
1"	25	1"5/16	3/4"	**47911710**
			1"	**47910154**
			1"1/4	**47911711**
1"1/4	32	1"5/8	1"	**47911712**
			1"1/4	**47910155**
1"1/2	38	1"7/8	1"1/4	**47911849**
			1"1/2	**47910156**
2"	42	2"1/2	2"	**47910157**
		3"	2"1/2	**47911713**

Index

Male JIC Elbow X 90° Taper Gas Male




Tube diameter		JIC	BSPT	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910361**
			1/4"	**47910363**
5/16"	8	1/2"	1/8"	**47910950**
			1/4"	**47910364**
3/8"	10	9/16"	1/8"	**47910951**
			1/4"	**47910365**
			3/8"	**47910367**
			1/2"	**47910952**
1/2"	12	3/4"	1/4"	**47910366**
			3/8"	**47910368**
			1/2"	**47910370**
			3/4"	**47910953**
5/8"	16	7/8"	3/8"	**47910369**
			1/2"	**47910371**
			3/4"	**47910372**
3/4"	20	1"1/16	1/2"	**47910954**
			3/4"	**47910373**
			1"	**47910955**
1"	25	1"5/16	3/4"	**47910956**
			1"	**47910374**
1"1/4	32	1"5/8	1"	**47910957**
			1"1/4	**47910375**
1"1/2	38	1"7/8	1"1/2	**47910376**

JIC 37°

Index


Male JIC Elbow X 45° Taper Gas Male

Tube diameter		JIC	BSPT	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47911032**
			1/4"	**47911033**
5/16"	8	1/2"	1/8"	**47911034**
			1/4"	**47911035**
3/8"	10	9/16"	1/4"	**47911036**
			3/8"	**47911037**
			1/2"	**47911038**
1/2"	12	3/4"	1/4"	**47911064**
			3/8"	**47911039**
			1/2"	**47911040**
			3/4"	**47911068**
5/8"	16	7/8"	3/8"	**47911066**
			1/2"	**47911041**
3/4"	20	1"1/16	1/2"	**47911067**
			3/4"	**47911042**
1"	25	1"5/16	1"	**47911069**



Male JIC X Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47911747**
			1/4"	**47911748**
			3/8"	**47911749**
			1/2"	**47911750**
5/16"	8	1/2"	1/8"	**47911950**
			1/4"	**47911751**
			3/8"	**47911752**
3/8"	10	9/16"	1/8"	**47911696**
			1/4"	**47911753**
			3/8"	**47911754**
			1/2"	**47911755**
1/2"	12	3/4"	1/4"	**47911756**
			3/8"	**47911757**
			1/2"	**47911758**
			3/4"	**47911759**
5/8"	16	7/8"	3/8"	**47911760**
			1/2"	**47911761**
			3/4"	**47911698**
3/4"	20	1"1/16	3/8"	**47912236**
			1/2"	**47911762**
			3/4"	**47911763**
			1"	**47911764**
1"	25	1"5/16	3/4"	**47911765**
			1"	**47911766**
			1"1/4	**47911767**
1"1/4	32	1"5/8	1"	**47911699**
			1"1/4	**47911768**
			1"1/2	**47911951**
1"1/2	38	1"7/8	1"1/4	**47912203**
			1"1/2	**47911769**
2"	50	2"1/2	1"1/2	**47912237**




JIC 37°

Index


Male JIC Elbow X 90° Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47912444**
			1/4"	**47910970**
			3/8"	**47910875**
5/16"	8	1/2"	1/8"	**47910890**
			1/4"	**47910971**
			3/8"	**47910891**
3/8"	10	9/16"	1/4"	**47910972**
			3/8"	**47910973**
			1/2"	**47910896**
1/2"	12	3/4"	1/4"	**47910974**
			3/8"	**47910975**
			1/2"	**47910976**
			3/4"	**47910897**
5/8"	16	7/8"	3/8"	**47910892**
			1/2"	**47910977**
			3/4"	**47910893**
3/4"	20	1"1/16	1/2"	**47910978**
			3/4"	**47910979**
			1"	**47910894**
1"	25	1"5/16	3/4"	**47910980**
			1"	**47910981**
1"1/4	32	1"5/8	1"	**47910982**
			1"1/4	**47912445**
1"1/2	38	1"7/8	1"1/4	**47912454**
			1"1/2	**47912446**



Male JIC Elbow X 45° Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47919070**
5/16"	8	1/2"	1/8"	**47919071**
3/8"	10	9/16"	1/4"	**47901050**
1/2"	12	3/4"	3/8"	**47911051**
5/8"	16	7/8"	1/2"	**47919072**
3/4"	20	1"1/16	3/4"	**47911052**
1"	25	1"5/16	1"	**47919073**
1"1/4	32	1"5/8	1"1/4	**47919074**
1"1/2	38	1"7/8	1"1/2	**47919075**




JIC 37°

Index


Male JIC Tee X Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47912167**
5/16"	8	1/2"	1/8"	**47912168**
3/8"	10	9/16"	1/4"	**47912160**
1/2"	12	3/4"	3/8"	**47912161**
5/8"	16	7/8"	1/2"	**47912162**
3/4"	20	1"1/16	3/4"	**47912163**
1"	25	1"5/16	1"	**47912164**
1"1/4	32	1"5/8	1"1/4	**47912165**
1"1/2	38	1"7/8	1"1/2	**47912166**




Male JIC Tee X Upside Down Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47912170**
5/16"	8	1/2"	1/8"	**47912169**
3/8"	10	9/16"	1/4"	**47912171**
1/2"	12	3/4"	3/8"	**47912172**
5/8"	16	7/8"	1/2"	**47912173**
3/4"	20	1"1/16	3/4"	**47912174**
1"	25	1"5/16	1"	**47912176**
1"1/4	32	1"5/8	1"1/4	**47912177**
1"1/2	38	1"7/8	1"1/2	**47912178**



Male JIC X Cylindric Female Gas

Tube diameter		JIC	BSPP	Reference
inch	mm			
1/4"	6	7/16"	1/8"	**47910511**
			1/4"	**47910513**
5/16"	8	1/2"	1/8"	**47910512**
			1/4"	**47910514**
			3/8"	**47910517**
3/8"	10	9/16"	1/4"	**47910515**
			3/8"	**47910518**
1/2"	12	3/4"	1/4"	**47910516**
			3/8"	**47910519**
			1/2"	**47910521**
5/8"	16	7/8"	1/2"	**47910522**
			3/4"	**47910524**
3/4"	20	1"1/16	1/2"	**47910523**
			3/4"	**47910525**
1"	25	1"5/16	1"	**47910526**
1"1/4	32	1"5/8	1"1/4	**47910527**
1"1/2	38	1"7/8	1"1/2	**47910528**
2"	42	2"1/2	2"	**47910529**




JIC 37°

Index


Female JIC X Taper Gas Male

Tube diameter		JIC	BSPT	Reference	
mm	inch				
1/4"	6	7/16"	1/8"	**47911887**	
			1/4"	**47912322**	
5/16"	8	1/2"	1/4"	**47912323**	
3/8"	10	9/16"	1/4"	**47912324**	
			3/8"	**47911888**	
1/2"	12	3/4"	1/4"	**47912325**	
			3/8"	**47912326**	
			1/2"	**47911889**	
5/8"	16	7/8"	1/2"	**47912327**	
3/4"	20	1"1/16	1/2"	**47912328**	
			3/4"	**47912329**	
1"	25	1"5/16	3/4"	**47912330**	
			1"	**47912331**	
1"1/4	32	1"5/8	1"1/4	**47912332**	



Female JIC X Cylindric Gas Male (cutting ring + seal)

Tube diameter		JIC	BSPP	Reference	
mm	inch				
1/4"	6	7/16"	1/8"	**47911870**	
			1/4"	**47911890**	
5/16"	8	1/2"	1/8"	**47911880**	
			1/4"	**47911871**	
3/8"	10	9/16"	1/4"	**47911872**	
			3/8"	**47911873**	
			1/2"	**47911891**	
1/2"	12	3/4"	1/4"	**47911881**	
			3/8"	**47911874**	
			1/2"	**47911892**	
5/8"	16	7/8"	3/8"	**47911882**	
			1/2"	**47911875**	
3/4"	20	1"1/16	1/2"	**47911883**	
			3/4"	**47911876**	
1"	25	1"5/16	3/4"	**47911884**	
			1"	**47911877**	
			1"1/4	**47911893**	
1"1/4	32	1"5/8	1"	**47911885**	
			1"1/4	**47911878**	
1"1/2	38	1"7/8	1"1/4	**47911886**	
			1"1/2	**47911879**	




JIC 37°

Index


Male JIC X Metric Cylindric Male (cutting ring + seal)

Tube diameter		JIC	Metric	Reference
inch	mm			
1/4"	6	7/16"	M 10 X 100	**47912281**
			M 12 X 150	**47912293**
			M 14 X 150	**47912294**
5/16"	8	1/2"	M 12 X 150	**47912282**
3/8"	10	9/16"	M 14 X 150	**47912283**
			M 16 X 150	**47912284**
			M 18 X 150	**47912295**
1/2"	12	3/4"	M 16 X 150	**47912285**
			M 18 X 150	**47912296**
5/8"	16	7/8"	M 18 X 150	**47912286**
			M 22 X 150	**47912287**
3/4"	20	1"1/16	M 22 X 150	**47912288**
			M 26 X 150	**47912299**
			M 27 X 200	**47912289**
1"	25	1"1/16	M 33 X 200	**47912290**
1"1/4	32	1"5/8	M 42 X 200	**47912291**
1"1/2	38	1"7/8	M 52 X 200	**47912292**



Male JIC Elbow X 90° Metric Cylindric Male (cutting ring + seal)

Tube diameter		JIC	Metric	Reference
inch	mm			
1/4"	6	7/16"	M 10 X 100	**47912270**
			M 12 X 150	**47912258**
5/16"	8	1/2"	M 12 X 150	**47912271**
3/8"	10	9/16"	M 14 X 150	**47912272**
			M 16 X 150	**47912259**
1/2"	12	3/4"	M 16 X 150	**47912273**
			M 18 X 150	**47912268**
5/8"	16	7/8"	M 18 X 150	**47912274**
			M 22 X 150	**47912275**
3/4"	20	1"1/16	M 22 X 150	**47912276**
			M 27 X 200	**47912277**
1"	25	1"1/16	M 30 X 200	**47912278**
			M 33 X 200	**47912279**
1"1/4	32	1"5/8	M 42 X 200	**47912280**




JIC 37°


Index

Female JIC X Metric Cylindric Male

Tube diameter		JIC	Métrique	Reference
inch	mm			
1/4"	6	7/16"	M 10 x 100	**47912220**
5/16"	8	1/2"	M 12X 150	**47912221**
3/8"	10	9/16"	M 14 X 150	**47912222**
1/2"	12	3/4"	M 16 X 150	**47912223**
5/8"	16	7/8"	M 22 X 150	**47912224**
3/4"	20	1"1/16	M 27 X 200	**47912225**
1"	25	1"5/16	M 33 X 200	**47912226**
1"1/4	32	1"5/8	M 42 X 200	**47912227**
1"1/2	38	1"7/8	M 50 X 200	**47912228**




Male JIC Equal Union X Male JIC



Tube diameter		JIC	Tube diameter		JIC	Reference
inch	mm		inch	mm		
5/16"	8	1/2"	1/4"	6	7/16"	**47911906**
3/8"	10	9/16"	1/4"	6	7/16"	**47910239**
1/2"	12	3/4"	3/8"	10	9/16"	**47911701**
5/8"	16	7/8"	1/2"	12	3/4"	**47911702**
3/4"	20	1"1/16	5/8"	16	7/8"	**47911909**
1"	25	1"5/16	3/4"	20	1"1/16	**47910078**

Male JIC Inequal Elbow X 90° Male JIC




Tube diameter		JIC	Tube diameter		JIC	Reference
inch	mm		mm	inch		
1/2"	12	3/4"	3/8"	10	9/16"	**47910945**
1"	25	1"5/16	3/4"	20	1"1/16	**47910946**

JIC 37°

Index


Female JIC Reducing X Male JIC



Tube diameter A		Tube diameter B		JIC	JIC	Reference
inch	mm	inch	mm			
5/16"	8	1/4"	6	1/2"	7/16"	**47912187**
3/8"	10	1/4"	6	9/16"	7/16"	**47911773**
		5/16"	8		1/2"	**47911775**
1/2"	12	1/4"	6	3/4"	7/16"	**47911774**
		5/16"	8		1/2"	**47911776**
		3/8"	10		9/16"	**47911777**
5/8"	16	1/4"	6	7/8"	7/16"	**47912191**
		5/16"	8		1/2"	**47911952**
		3/8"	10		9/16"	**47911778**
		1/2"	12		3/4"	**47911780**
3/4"	20	1/4"	6	1"1/16	7/16"	**47912192**
		5/16"	8		1/2"	**47911953**
		3/8"	10		9/16"	**47911779**
		1/2"	12		3/4"	**47911781**
		5/8"	16		7/8"	**47911782**
1"	25	5/16"	8	1"5/16	1/2"	**47911954**
		1/2"	12		3/4"	**47911955**
		5/8"	16		7/8"	**47911956**
		3/4"	20		1"1/16	**47911783**
1"1/4	32	5/16"	8	1"5/8	1/2"	**47911957**
		1/2"	12		3/4"	**47911958**
		5/8"	16		7/8"	**47911959**
		3/4"	20		1"1/16	**47911784**
		1"	25		1"1/16	**47911785**
1"1/2	38	5/8"	16	1"7/8	1/2"	**47911960**
		3/4"	20		3/4"	**47911961**
		5/8"	16		7/8"	**47911962**
		3/4"	20		1"1/16	**47911963**
		1"	25		1"5/16	**47911964**
		1"1/4	32		1"5/8	**47911786**

Hexagonal Nut Metric Standpipe

Tube diameter		JIC	Reference
inch	mm		
1/4"	6	7/16"	**47910230**
5/16"	8	1/2"	**47910231**
3/8"	10	9/16"	**47910232**
1/2"	12	3/4"	**47910233**
5/8"	16	7/8"	**47910234**
3/4"	20	1"1/16	**47910235**
1"	25	1"5/16	**47910237**
1"1/4	32	1"5/8	**47910238**
1"1/2	38	1"7/8	**47910239**




JIC 37°

Index


Female JIC Plug

Tube diameter		JIC	Reference
inch	mm		
1/4"	6	7/16"	**47910623**
5/16"	8	1/2"	**47910624**
3/8"	10	9/16"	**47910625**
1/2"	12	3/4"	**47910626**
5/8"	16	7/8"	**47910627**
3/4"	20	1"1/16	**47910628**
1"	25	1"5/16	**47910629**
1"1/4	32	1"5/8	**47910630**
1"1/2	38	1"7/8	**47910631**
2"	42	2"1/2	**47910632**




Male JIC Plug

Tube diameter		JIC	Reference
inch	mm		
1/4"	6	7/16"	**47910606**
5/16"	8	1/2"	**47910607**
3/8"	10	9/16"	**47910608**
1/2"	12	3/4"	**47910609**
5/8"	16	7/8"	**47910610**
3/4"	20	1"1/16	**47910611**
1"	25	1"5/16	**47910612**
1"1/4	32	1"5/8	**47910613**
1"1/2	38	1"7/8	**47910614**
2"	42	2"1/2	**47910681**



Sleeve Metric Standpipe

Tube diameter	Reference
6	**47102801**
8	**47102802**
10	**47102803**
12	**47102804**
14	**47102805**
15	**47102815**
16	**47102806**
18	**47102807**
20	**47102808**
25	**47102810**
30	**47102811**
32	**47102812**
38	**47102813**
42	**47102816**




BSP / BSPT

Index


Male BSP (60° cone) X Male BSP (60° cone)

BSPP THREAD	BSPP THREAD	Reference
1/8"	1/8"	47910210
	1/4"	47912333
1/4"	1/4"	47910211
	3/8"	47911505
	1/2"	47911405
3/8"	3/8"	47910212
	1/2"	47911406
	3/4"	47912334
1/2"	1/2"	47911407
	3/4"	47910217
5/8"	5/8"	47910216
	3/4"	47912337
	1"	47912338
3/4"	3/4"	47910218
	1"	47910219
1"	1"	47910220
	1"1/4	47912339
1"1/4	1"1/4	47910221
	1"1/2	47912340
1"1/2	1"1/2	47910222
2"	2"	47910223



Male BSP (60° cone) X Male Gas Taper

BSPP THREAD	BSPT THREAD	Reference
1/8"	1/8"	47912341
	1/4"	47912342
1/4"	1/8"	47912343
	1/4"	47910792
	3/8"	47912344
	1/2"	47912345
3/8"	1/4"	47912346
	3/8"	47912347
	1/2"	47912348
1/2"	3/8"	47912349
	1/2"	47912350
	3/4"	47912352
5/8"	1/2"	47912353
	5/8"	47912354
	3/4"	47912355
3/4"	1/2"	47912356
	3/4"	47912358
	1"	47912359
1"	3/4"	47912360
	1"	47912361
	1"1/4	47912362
1"1/4	1"	47912363
	1"1/4	47912364
1"1/2	1"1/2	47912365
2"	2"	47912366




BSP / BSPT

Index


Female BSP (60° cone) X Male Gas Taper

BSPP THREAD	BSPT THREAD	Reference
1/8"	1/8"	**47912531**
1/4"	1/4"	**47912532**
3/8"	3/8"	**47912533**
	1/2"	**47912534**
1/2"	3/8"	**47912535**
	1/2"	**47912536**
3/4"	3/4"	**47912538**
1"	1"	**47912539**




Male BSP (60° cone) X Female BSP (60° cone)

BSPP THREAD	BSPP THREAD	Reference
1/4"	1/4"	**47912580**
3/8"	3/8"	**47912583**
1/2"	1/2"	**47912586**
3/4"	3/4"	**47912589**



Male Gas Taper X Male Gas Taper

BSPT THREAD	BSPT THREAD	Reference
1/8"	1/8"	**47912516**
	1/4"	**47912517**
1/4"	1/4"	**47912518**
	3/8"	**47912519**
	1/2"	**47912520**
3/8"	3/8"	**47912521**
	1/2"	**47912522**
1/2"	1/2"	**47912523**
	3/4"	**47912524**
3/4"	3/4"	**47912525**
	1"	**47912526**
1"	1"	**47912527**
1"1/4	1"1/4	**47912528**
1"1/2	1"1/2	**47912529**
2"	2"	**47912530**




BSP / BSPT

Index


Male Gas Taper X Male NPT

BSPT TREAD	NPTF TREAD	Reference
1/8"	1/8"	47910530
	1/4"	47910546
1/4"	1/8"	47910531
	1/4"	47910532
3/8"	1/4"	47910533
	3/8"	47910534
1/2"	3/8"	47910535
	1/2"	47910536
3/4"	1/2"	47910537
	3/4"	47910538
	1"	47910547
1"	3/4"	47910539
	1"	47910540
1"1/4	1"	47910541
	1"1/4	47910542
1"1/2	1"1/2	47910543
2"	2"	47910544




Male Gas Taper X Cylindric Female Gas

BSPT TREAD	BSPP TREAD	Reference
1/4"	1/8"	47911792
	1/4"	47912508
3/8"	1/8"	47911793
	1/4"	47911794
1/2"	1/8"	47911795
	1/4"	47911796
	3/8"	47911797
3/4"	1/4"	47911798
	3/8"	47911799
	1/2"	47912300
1"	1/2"	47912301
	3/4"	47912302
1"1/4	1"	47912303
1/4"	1/4"	47912508
	3/8"	47912509
	1/2"	47912510
3/8"	3/8"	47912511
	1/2"	47912512
1/2"	1/2"	47912513
	3/4"	47912514
3/4"	1"	47912515



Taper Male Gas Elbow X 90° Cylindric Gas Female


BSPT TREAD	BSPP TREAD	Reference
1/4"	1/4"	47910996
3/8"	3/8"	47910997
1/2"	1/2"	47910998
3/4"	3/4"	47910999
1"	1"	47912403
1"1/4	1"1/4	47912404
1"1/2	1"1/2	47912405
2"	2"	47912406



Index


Cylindric Female Gas X Cylindric Female Gas

BSPP THREAD	BSPP THREAD	Reference
1/8"	1/8"	**47912382**
	1/4"	**47912383**
1/4"	1/4"	**47912384**
	3/8"	**47912385**
3/8"	3/8"	**47912386**
	1/2"	**47912387**
1/2"	1/2"	**47912388**
3/4"	1/2"	**47912389**
	3/4"	**47912390**
1"	3/4"	**47912391**
	1"	**47912392**
1"1/4	1"1/4	**47912393**
1"1/2	1"1/2	**47912394**
2"	2"	**47912395**




Cylindric Female Gas Elbow X 90° Cylindric Female Gas

BSPP THREAD	BSPP THREAD	Reference
1/8"	1/8"	**47912414**
1/4"	1/4"	**47912415**
3/8"	3/8"	**47912416**
1/2"	1/2"	**47912417**
3/4"	3/4"	**47912418**
1"	1"	**47912419**
1"1/4	1"1/4	**47912420**



Equal Tee Female Gas Cylindric

BSPP	Reference
1/4"	**47911825**
3/8"	**47911826**
1/2"	**47911827**
3/4"	**47911828**
1"	**47911829**
1"1/4	**47911830**




70.000 raccords hydrauliques en stock

NPT

Index


Male NPT X Male NPT

NPTF THREAD	NPTF THREAD	Reference
1/8"	1/8"	**47910550**
1/4"	1/8"	**47910551**
1/4"	1/4"	**47910552**
3/8"	1/8"	**47911788**
3/8"	1/4"	**47910553**
3/8"	3/8"	**47910554**
1/2"	1/4"	**47910555**
1/2"	3/8"	**47910556**
1/2"	1/2"	**47910557**
3/4"	3/8"	**47910633**
3/4"	1/2"	**47910558**
3/4"	3/4"	**47910559**
1/2"	1"	**47911789**
1"	3/4"	**47911790**
1"	1"	**47910561**
1"	1"1/4	**47910562**
1"1/4	1"1/4	**47910563**
1"1/2	1"1/2	**47910564**
2"	2"	**47910565**
2"1/2	2"1/2	**47910751**



Reducing Female NPT X Male NPT

NPTF THREAD	NPTF THREAD	Reference
1/8"	1/4"	**47910570**
	3/8"	**47910571**
	1/2"	**47910573**
1/4"	1/8"	**47912500**
	3/8"	**47912501**
	1/2"	**47910574**
	3/4"	**47910576**
3/8"	1/2"	**47910575**
	3/4"	**47910566**
	1"	**47910567**
1/2"	3/8"	**47912502**
	3/4"	**47910568**
	1"	**47910569**
3/4"	1/2"	**47912503**
	1"	**47910577**
	1"1/4	**47910578**
	1"1/2	**47910579**
1"	1"1/4	**47910580**
	1"1/2	**47910581**
	2"	**47910582**
1"1/4	1"1/2	**47910583**
	2"	**47910584**
1"1/2	2"	**47910585**




NPT

Index


Male NPT Elbow X 90° Male NPT

NPTF THREAD	NPTF THREAD	Reference
1/8"	1/8"	**47910380**
1/4"	1/4"	**47910381**
1/4"	3/8"	**47910382**
3/8"	3/8"	**47910383**
3/8"	1/2"	**47910384**
1/2"	1/2"	**47910385**
1/2"	3/4"	**47910386**
3/4"	3/4"	**47910387**
3/4"	1"	**47910388**
1"	1"	**47910389**




Male NPT Elbow X 90° Female NPT

NPTF Female Thread	NPTF Male Thread	Reference
1/8"	1/8"	**47910498**
	1/4"	**47910994**
1/4"	1/8"	**47910499**
	1/4"	**47910900**
	3/8"	**47910901**
3/8"	1/4"	**47910902**
	3/8"	**47910903**
	1/2"	**47910904**
1/2"	3/8"	**47910905**
	1/2"	**47910906**
	3/4"	**47910907**
3/4"	1/2"	**47910908**
	3/4"	**47910909**
1"	1"	**47910910**
1"1/4	1"1/4	**47910995**



Index

Male NPT X Male BSP (60° cone)




NPTF THREAD	BSPP THREAD	Reference
1/8"	1/8"	**47910588**
1/4"	1/4"	**47910589**
	3/8"	**47912369**
	1/2"	**47912368**
3/8"	1/4"	**47912367**
	3/8"	**47910590**
	1/2"	**47912370**
1/2"	1/4"	**47912371**
	3/8"	**47912372**
	1/2"	**47910591**
	3/4"	**47912373**
5/8"	1/2"	**47910592**
	3/4"	**47912374**
3/4"	1/2"	**47910593**
	3/4"	**47910594**
	1"	**47912375**
1"	3/4"	**47912376**
	1"	**47910595**
	1"1/4	**47912377**
1"1/4	1"	**47910596**
	1"1/4	**47912378**
	1"1/2	**47912379**
1"1/2	1"1/2	**47912380**
2"	2"	**47912381**

Index


Male NPT plug

NPTF THREAD	Reference
1/8"	47910600
1/4"	47910601
3/8"	47910602
1/2"	47910603
3/4"	47910604
1"	47910605
1"1/4	47910640
1"1/2	47910682
2"	47910683




Male BSP plug (cone 60°)

BSPT THREAD	Reference
1/8"	47912900
1/4"	47912901
3/8"	47912902
1/2"	47912903
3/4"	47912905
1"	47912906
1"1/4	47912907
1"1/2	47912908
2"	47912909



Male taper plug

BSPT THREAD	Reference
1/8"	47910684
1/4"	47910685
3/8"	47910686
1/2"	47910687
3/4"	47910688
1"	47910689
1"1/4	47910690
1"1/2	47910691



Plus de 4.500 références

CUTTING RING FITTINGS
INDEX

DIN L / DIN S Series

	page
Cutting ring	03.13.005
Nut	03.13.005
Equal straight couplings	03.13.010
Equal elbow	03.13.010
Equal tee	03.13.015
Equal cross	03.13.015
Taper male stud couplings	03.13.020
Cylindric male stud couplings	03.13.025
Metric and cylindric male stud couplings	03.13.030
Male stud couplings NPT	03.13.030
Taper male stud elbow	03.13.035
Metrical taper male stud elbow	03.13.035
Male stud elbow NPT	03.13.040
Male stud branch tees	03.13.045
NPT male stud branch tees	03.13.045
Taper male tee	03.13.050
Male tee NPT	03.13.050
Bulkhead straight couplings	03.13.055
Bulkhead elbow	03.13.055
Stud couplings to solder	03.13.060
Cylindric female stud couplings	03.13.060
Metric female stud couplings	03.13.065
Gauge female stud couplings	03.13.065
Straight reducing couplings	03.13.070
Swivelling elbow	03.13.075
Swivelling tee	03.13.080
Swivelling tee	03.13.080
Swivelling cylindric male couplings	03.13.085
Swivelling NPT male coupling	03.13.085

GAZ Serie

	page
Cutting ring	03.08.005
Nut	03.08.005
Straight coupling	03.08.005
Equal elbow	03.08.005
Equal tee	03.08.005
Bulkhead straight coupling	03.08.005
Cylindric male stud coupling	03.08.010
Taper male stud coupling	03.08.010
NPT male stud coupling	03.08.010
Taper male elbow	03.08.015
NPT male elbow	03.08.015
Cylindric female stud coupling	03.08.015

GAS Serie

Index

Cutting Ring

Tube diameter (mm)	Reference
13	367000013
17	367000017
21	367000021
27	367000027
33	367000033




Nut

Tube diameter (mm)	Reference
13	367030013
17	367030017
21	367030021
27	367030027
33	367030033




Straight Stud Coupling

Tube diameter (mm)	Reference
13	367040013
17	367040017
21	367040021
27	367040027
33	367040033




Equal Elbow

Tube diameter (mm)	Reference
13	367130013
17	367130017
21	367130021
27	367130027
33	367130033




Equal Tee

Tube diameter (mm)	Reference
13	367140013
17	367140017
21	367140021
27	367140027
33	367140033




Bulkhead Straight Coupling


Tube diameter (mm)	Reference
13	367150013
17	367150017
21	367150021
27	367150027
33	367150033




GAS Serie

Index

Cylindric male stud couplng			
Tube diameter (mm)	**BSPP Thread**	**Reference**	
13	**1/4"**	**367061314**	
	3/8"	**367061338**	
17	**3/8"**	**367061738**	
	1/2"	**367061742**	
21	**1/2"**	**367062142**	
	3/4"	**367062144**	
27	**3/4"**	**367062744**	
33	**1"**	**367063310**	

Taper Male Stud Coupling			
Tube diameter (mm)	**BSPT Thread**	**Reference**	
13	**1/4"**	**367051314**	
	3/8"	**367051338**	
17	**3/8"**	**367051738**	
	1/2"	**367051742**	
21	**1/2"**	**367052142**	
	3/4"	**367052144**	
27	**3/4"**	**367052744**	
33	**1"**	**367053310**	

NPT Male Stud Coupling			
Tube diameter (mm)	**NPT Thread**	**Reference**	
13	**1/4"**	**367071314**	
	3/8"	**367071338**	
17	**3/8"**	**367071738**	
	1/2"	**367071742**	
21	**1/2"**	**367072142**	
	3/4"	**367072144**	
27	**3/4"**	**367072744**	
33	**1"**	**367073310**	


Marquage unitaire des pièces :
traçabilité totale

GAS Serie

Index


Taper Male Gas Elbow

Tube diameter (mm)	BSPT Thread	Reference
13	1/4"	367101314
	3/8"	367101338
17	3/8"	367101738
	1/2"	367101742
21	1/2"	367102142
	3/4"	367102144
27	3/4"	367102744
33	1"	367103310




NPT Male Elbow

Tube diameter (mm)	NPT Thread	Reference
13	1/4"	367121314
	3/8"	367121338
17	3/8"	367121738
21	1/2"	367122142
	3/4"	367122144
27	3/4"	367122744
33	1"	367123310



Cylindric Female Stud Coupling

Tube diameter (mm)	BSPP Thread	Reference
13	1/4"	367081314
	3/8"	367081338
17	3/8"	367081738
	1/2"	367081742
21	1/2"	367082142
	3/4"	367082144
27	3/4"	367082744
33	1"	367083310




DIN L / DIN S Series

Index


Cutting ring

Tube diameter (mm)		Reference
L	6	360000006
	8	360000008
	10	360000010
	12	360000012
	15	360000015
	18	360000018
	22	360000022
	28	360000028
	35	360000035
	42	360000042
S	6	362000006
	8	362000008
	10	362000010
	12	362000012
	14	362000014
	16	362000016
	20	362000020
	25	362000025
	30	362000030
	38	362000038



Nut

Tube diameter (mm)		Reference
L	6	360030006
	8	360030008
	10	360030010
	12	360030012
	15	360030015
	18	360030018
	22	360030022
	28	360030028
	35	360030035
	42	360030042
S	6	362030006
	8	362030008
	10	362030010
	12	362030012
	14	362030014
	16	362030016
	20	362030020
	25	362030025
	30	362030030
	38	362030038




DIN L / DIN S Series

Index


Equal Straight Coupling

Tube diameter (mm)		Reference
L	6	360040006
	8	360040008
	10	360040010
	12	360040012
	15	360040015
	18	360040018
	22	360040022
	28	360040028
	35	360040035
	42	360040042
S	6	362040006
	8	362040008
	10	362040010
	12	362040012
	14	362040014
	16	362040016
	20	362040020
	25	362040025
	30	362040030
	38	362040038



Equal Elbow

Tube diameter (mm)		Reference
L	6	360130006
	8	360130008
	10	360130010
	12	360130012
	15	360130015
	18	360130018
	22	360130022
	28	360130028
	35	360130035
	42	360130042
S	6	362130006
	8	362130008
	10	362130010
	12	362130012
	14	362130014
	16	362130016
	20	362130020
	25	362130025
	30	362130030
	38	362130038




DIN L / DIN S Series

Index


Equal Tee

Tube diameter (mm)		Reference
L	6	360140006
	8	360140008
	10	360140010
	12	360140012
	15	360140015
	18	360140018
	22	360140022
	28	360140028
	35	360140035
	42	360140042
S	6	362140006
	8	362140008
	10	362140010
	12	362140012
	14	362140014
	16	362140016
	20	362140020
	25	362140025
	30	362140030
	38	362140038




Equal Cross

Tube diameter (mm)		Reference
L	6	360190006
	8	360190008
	10	360190010
	12	360190012
	15	360190015
	18	360190018
	22	360190022
	28	360190028
	35	360190035
	42	360190042
S	6	362190006
	8	362190008
	10	362190010
	12	362190012
	14	362190014
	16	362190016
	20	362190020
	25	362190025
	30	362190030
	38	362190038



Index


Taper Male Stud coupling



Tube diameter (mm)		BSPP Thread	Reference
L	6	1/8"	**360050608**
		1/4"	**360050614**
	8	1/8"	**360050808**
		1/4"	**360050814**
		3/8"	**360050838**
	10	1/4"	**360051014**
		3/8"	**360051038**
		1/2"	**360051042**
	12	1/4"	**360051214**
		3/8"	**360051238**
		1/2"	**360051242**
	15	1/2"	**360051542**
	18	1/2"	**360051842**
		3/4"	**360051844**
	22	3/4"	**360052244**
	28	1"	**3600528100**
	35	1"1/4	**3600535114**
	42	1"1/2	**3600542142**

Index

Cylindric Male Stud Coupling




Tube diameter (mm)		BSPP Thread	Reference
L	6	1/8"	**360060608**
		1/4"	**360060614**
	8	1/8"	**360060808**
		1/4"	**360060814**
		3/8"	**360060838**
	10	1/4"	**360061014**
		3/8"	**360061038**
		1/2"	**360061042**
	12	1/4"	**360061214**
		3/8"	**360061238**
		1/2"	**360061242**
	15	1/2"	**360061542**
	18	1/2"	**360061842**
		3/4"	**360061844**
	22	3/4"	**360062244**
	28	1"	**3600628100**
	35	1"1/4	**3600635114**
	42	1"1/2	**3600642142**
S	6	1/8"	**362060608**
		1/4"	**362060614**
	8	1/4"	**362060814**
		3/8"	**362060838**
	10	1/4"	**362061014**
		3/8"	**362061038**
		1/2"	**362061042**
	12	1/4"	**362061214**
		3/8"	**362061238**
		1/2"	**360061242**
	14	1/2"	**362061442**
	16	1/2"	**362061642**
		3/4"	**362061644**
	20	3/4"	**362062044**
	25	1"1/4	**3620625114**
	30	1"1/2	**3620630142**

DIN L / DIN S Series

Index


Metric and Cylindric Male Stud Coupling

Tube diameter (mm)		Metric Thread	Reference
L	6	10 X 1	**360440610**
	8	12 X 1,5	**360440812**
	10	14 X 1,5	**360441014**
	12	16 X 1,5	**360441216**
	15	18 X 1,5	**360441518**
	18	22 X 1,5	**360441822**
	22	26 X 1,5	**360442226**
	28	33 X 2	**360442833**
	35	42 X 2	**360443542**
	42	48 X 2	**360444248**
S	6	12 X 1,5	**362440612**
	8	14 X 1,5	**362440814**
	10	16 X 1,5	**362441016**
	12	18 X 1,5	**362441218**
	14	20 X 1,5	**362441420**
	16	22 X 1,5	**362441622**
	20	27 X 2	**362442027**
	25	33 X 2	**362442533**



NPT Male Stud Coupling

Tube diameter (mm)		Metric Thread	Reference
L	6	1/8"	**360070608**
	8	1/8"	**360070808**
		1/4"	**360070814**
	10	1/4"	**360071014**
	12	3/8"	**360071238**
	15	1/2"	**360071542**
	18	1/2"	**360071842**
	22	3/4"	**360072244**
	28	1"	**3600728100**
	35	1"1/4	**3600735114**
	42	1"1/2	**3600742142**
S	6	1/4"	**362070614**
	8	1/4"	**362070814**
	10	3/8"	**362071038**
	12	3/8"	**362071238**
	14	1/2"	**362071442**
	16	1/2"	**362071642**
	20	3/4"	**362072044**
	25	1"	**3620725100**
	30	1"1/4	**3620730114**




DIN L / DIN S Series

Index


Taper Male Stud Elbow

Tube diameter (mm)		BSPT Thread	Reference
L	6	1/8"	**360100608**
	8	1/8"	**360100808**
		1/4"	**360100814**
	10	1/4"	**360101014**
	12	3/8"	**360101238**
	15	1/2"	**360101542**
	18	1/2"	**360101842**
	22	3/4"	**360102244**
	28	1"	**3601028100**
	35	1"1/4	**3601035114**
	42	1"1/2	**3601042142**
S	6	1/4"	**362100608**
	8	1/4"	**362100814**
	10	3/8"	**362101038**
	12	3/8"	**362101238**
	14	1/2"	**362101442**
	16	1/2"	**362101642**
	20	3/4"	**362102044**
	25	1"	**3621025100**
	30	1"1/4	**3621030114**




Metrical Taper Male Stud Elbow

Tube diameter (mm)		Metric Thread	Reference
L	6	10 X 1	**360480610**
	8	12 X 1,5	**360480812**
	10	14 X 1,5	**360481014**
	12	16 X 1,5	**360481216**
	15	18 X 1,5	**360481518**
	18	22 X 1,5	**360481822**
S	6	12 X 1,5	**362480612**
	8	14 X 1,5	**362480814**
	10	16 X 1,5	**362481016**
	12	18 X 1,5	**362481218**
	14	20 X 1,5	**362481420**
	16	22 X 1,5	**362481622**



Index

NPT Male Stud Elbow




Tube diameter (mm)		NPT Thread	Reference
L	6	1/8"	**360120608**
	8	1/8"	**360120808**
		1/4"	**360120814**
	10	1/4"	**360121014**
	12	1/4"	**360121214**
		3/8"	**360121238**
	15	1/2"	**360121542**
	18	1/2"	**360121842**
	22	3/4"	**360122244**
	28	1"	**3601228100**
	35	1"1/4	**3601235114**
	42	1"1/2	**3601242142**
S	6	1/4"	**362120614**
	8	1/4"	**362120814**
	10	3/8"	**362121038**
	12	3/8"	**362121238**
	14	1/2"	**362121442**
	16	1/2"	**362121642**
	20	3/4"	**362122044**
	25	1"	**3621225100**
	30	1"1/4	**3621230114**
	38	1"1/4	**3621238114**

DIN L / DIN S Series

Index


Taper Male Branch tee

Tube diameter (mm)		BSPT Thread	Reference
L	6	1/8"	**360260608**
	8	1/4"	**360260814**
	10	1/4"	**360261014**
	12	3/8"	**360261238**
	15	1/2"	**360261542**
	18	1/2"	**360261842**
	22	3/4"	**360262244**
	28	1"	**3602628100**
	35	1"1/4	**3602635114**
	42	1"1/2	**3602642142**
S	6	1/4"	**362260614**
	8	1/4"	**362260814**
	10	3/8"	**362261038**
	12	3/8"	**362261238**
	14	1/2"	**362261442**
	16	1/2"	**362261642**
	20	3/4"	**362262044**
	25	1"	**3622625100**
	30	1"1/4	**3622630114**
	38	1"1/2	**3622638112**



NPT Male Branch Tee

Tube diameter (mm)		NPT Thread	Reference
L	6	1/8"	**360270608**
	8	1/4"	**360270814**
	10	1/4"	**360271014**
	12	3/8"	**360271238**
	15	1/2"	**360271542**
	18	1/2"	**360271842**
	22	3/4"	**360272244**
	28	1"	**3602728100**
	35	1"1/4	**3602735114**
	42	1"1/2	**3602742142**
S	6	1/4"	**362270614**
	8	1/4"	**362270814**
	10	3/8"	**362271038**
	12	3/8"	**362271238**
	14	1/2"	**362271442**
	16	1/2"	**362271642**
	20	3/4"	**362272044**
	25	1"	**3622725100**
	30	1"1/4	**3622730114**
	38	1"1/2	**3622738142**




DIN L / DIN S Series

Index


Taper Male Tee

Tube diameter (mm)		BSPT Thread	Reference
L	6	1/8"	**360290608**
	8	1/4"	**360290814**
	10	1/4"	**360291014**
	12	3/8"	**360291238**
	15	1/2"	**360291542**
	18	1/2"	**360291842**
	22	3/4"	**360292244**
	28	1"	**3602928100**
	35	1"1/4	**3602935114**
	42	1"1/2	**3602942142**
S	6	1/4"	**362290614**
	8	1/4"	**362290814**
	10	3/8"	**362291038**
	12	3/8"	**362291238**
	14	1/2"	**362291442**
	16	1/2"	**362291642**
	20	3/4"	**362292044**
	25	1"	**3622925100**
	30	1"1/4	**3622930114**
	38	1"1/2	**3622938142**



NPT Male Tee

Tube diameter (mm)		NPT Thread	Reference
L	6	1/8"	**360280608**
	8	1/4"	**360280814**
	10	1/4"	**360281014**
	12	3/8"	**360281238**
	15	1/2"	**360281542**
	18	1/2"	**360281842**
	22	3/4"	**360282244**
	28	1"	**3602828100**
	35	1"1/4	**3602835114**
	42	1"1/2	**3602842142**
S	6	1/4"	**362280614**
	8	1/4"	**362280814**
	10	3/8"	**362281038**
	12	3/8"	**362281238**
	14	1/2"	**362281442**
	16	1/2"	**362281642**
	20	3/4"	**362282044**
	25	1"	**3622825100**
	30	1"1/4	**3622830114**
	38	1"1/2	**3622838142**




DIN L / DIN S Series

Index


Bulkhead straight Coupling

Tube diameter (mm)		Reference
L	6	360150006
	8	360150008
	10	360150010
	12	360150012
	15	360150015
	18	360150018
	22	360150022
	28	360150028
	35	360150035
	42	360150042
S	6	362150006
	8	362150008
	10	362150010
	12	362150012
	14	362150014
	16	362150016
	20	362150020
	25	362150025
	30	362150030
	38	362150038



Bulkhead Elbow

Tube diameter (mm)		Reference
L	6	360160006
	8	360160008
	10	360160010
	12	360160012
	15	360160015
	18	360160018
	22	360160022
	28	360160028
	35	360160035
	42	360160042
S	6	362160006
	8	362160008
	10	362160010
	12	362160012
	14	362160014
	16	362160016
	20	362160020
	25	362160025
	30	362160030
	38	362160038




DIN L / DIN S Series

Index


Stud Coupling To Solder

Tube diameter (mm)		Diameter (mm)	Reference
L	6	10	**360180610**
	8	12	**360180812**
	10	14	**360181014**
	12	16	**360181216**
	15	19	**360181519**
	18	22	**360181822**
	22	27	**360182227**
	28	32	**360182832**
	35	40	**360183540**
	42	46	**360184246**
S	6	11	**362180611**
	8	13	**362180813**
	10	15	**362181015**
	12	17	**362181217**
	14	19	**362181419**
	16	21	**362181621**
	20	26	**362182026**
	25	31	**362182531**
	30	36	**362183036**
	38	44	**362183844**



Cylindric Female Stud Coupling

Tube diameter (mm)		BSPP Thread	Reference
L	6	1/8"	**360080608**
		1/4"	**360080614**
	8	1/4"	**360080814**
	12	3/8"	**360081238**
		1/2"	**360081242**
	15	3/8"	**360081538**
		1/2"	**360081542**
	18	3/8"	**360081838**
		1/2"	**360081842**
	22	3/4"	**360082244**
	28	1"	**3600828100**
	35	1"1/4	**3600835114**
	42	1"1/2	**3600842142**
S	6	1/8"	**362080608**
		1/4"	**362080614**
	8	1/4"	**362080814**
	10	3/8"	**362081038**
	12	1/4"	**362081214**
		3/8"	**362081238**
		1/2"	**362081242**
	14	1/2"	**362081442**
	16	1/2"	**362081642**
	20	1/2"	**362082042**
		3/4"	**362082044**
	25	1"	**3620825100**
	30	1"1/4	**3620830114**




DIN L / DIN S Series

Index


Metric Female Stud Coupling

Tube diameter (mm)		Metric Thread	Reference
L	6	10 X 1	**360470610**
	8	12 X 1,5	**360470812**
	10	14 X 1,5	**360471014**
	12	16 X 1,5	**360471216**
		18 X 1,5	**360471218**
		20 X 1,5	**360471220**
	15	18 X 1,5	**360471518**
	18	22 X 1,5	**360471822**
	22	26 X 1,5	**360472226**
	28	33 X 2	**360472833**
	35	42 X 2	**360473542**
	42	48 X 2	**360474248**
S	6	12 X 1,5	**362470612**
	8	14 X 1,5	**362470814**
	10	16 X 1,5	**362471016**
	12	18 X 1,5	**362471218**
		20 X 1,5	**362471220**
	14	20 X 1,5	**362471420**
	16	22 X 1,5	**362471622**
	20	33 X 1,5	**362472033**
	25	33 X 2	**362472533**
	38	48 X 2	**362473848**




Gauge Female Stud Coupling

Tube diameter (mm)		BSPP Thread	Reference
L	6	1/4"	**360420614**
	8	1/4"	**360420814**
	10	1/4"	**360421014**
	12	1/4"	**360421214**
		1/2"	**360421242**
S	6	1/2"	**362420642**
	8	1/2"	**362420842**
	10	1/2"	**362421042**
	12	1/2"	**362421242**
	14	1/2"	**362421442**



Index


Straight Reducing Coupling



Tube diameter (mm)		Diameter (mm)	Reference
L	8	6	360040806
	10	6	360041006
		8	360041008
	12	8	360041208
		10	360041210
	15	10	360041510
		12	360041512
	18	12	360041812
		15	360041815
	22	15	360042215
		18	360042218
	28	18	360042818
		22	360042822
	35	28	360043528
	42	28	360044228
		35	360044235
S	8	6	362040806
	10	8	362041008
	12	8	362041208
		10	362041210
	14	10	362041410
		12	362041412
	16	12	362041612
		14	362041614
	20	14	362042014
		16	362042016
	25	16	362042516
		20	362042520
	30	20	362043020
		25	362043025
	38	30	362043830

Index

Swivelling Elbow




Tube diameter (mm)		Reference
L	6	**360810006**
	8	**360810008**
	10	**360810010**
	12	**360810012**
	15	**360810015**
	18	**360810018**
	22	**360810022**
	28	**360810028**
	35	**360810035**
	42	**360810042**
S	6	**362810006**
	8	**362810008**
	10	**362810010**
	12	**362810012**
	14	**362810014**
	16	**362810016**
	20	**362810020**
	25	**362810025**
	30	**362810030**
	38	**362810038**

Index


Swivelling Tee

Tube diameter (mm)		Reference
L	6	360850006
	8	360850008
	10	360850010
	12	360850012
	15	360850015
	18	360850018
	22	360850022
	28	360850028
	35	360850035
	42	360850042
S	6	362850006
	8	362850008
	10	362850010
	12	362850012
	14	362850014
	16	362850016
	20	362850020
	25	362850025
	30	362850030
	38	362850038



Swivelling Tee

Tube diameter (mm)		Reference
L	6	360840006
	8	360840008
	10	360840010
	12	360840012
	15	360840015
	18	360840018
	22	360840022
	28	360840028
	35	360840035
	42	360840042
S	6	362840006
	8	362840008
	10	362840010
	12	362840012
	14	362840014
	16	362840016
	20	362840020
	25	362840025
	30	362840030
	38	362840038




DIN L / DIN S Series

Index


Cylindric Swivelling Male Coupling

Tube diameter (mm)		BSPP Thread	Reference
L	6	1/8"	**360690608**
	8	1/4"	**360690814**
	10	1/4"	**360691014**
	12	1/4"	**360691214**
		3/8"	**360691238**
	15	1/2"	**360691542**
	18	1/2"	**360691842**
	22	3/4"	**360692244**
	28	1"	**3606928100**
	35	1"1/4	**3606935114**
	42	1"1/2	**3606942142**
S	6	1/4"	**362690614**
	8	1/4"	**362690814**
	10	3/8"	**362691038**
	12	3/8"	**362691238**
		1/2"	**362691242**
	14	1/2"	**362691442**
	16	1/2"	**362691642**
		3/4"	**362691644**
	20	3/4"	**362692044**
	25	1"	**3626925100**
	30	1"	**3626930100**
		1"1/4	**3626930114**



NPT Swivelling Male Coupling


Tube diameter (mm)		NPT Thread	Reference
L	6	1/8"	**360410608**
	8	1/4"	**360410814**
	10	1/4"	**360411014**
	12	1/4"	**360411214**
		3/8"	**360411238**
		1/2"	**360411242**
	15	3/8"	**360411538**
		1/2"	**360411542**
	18	1/2"	**360411842**
	22	3/4"	**360412244**
	28	1"	**3604128100**
	35	1"1/4	**3604135114**
	42	1"1/2	**3604142112**
S	6	1/4"	**362410614**
	8	1/4"	**362410814**
	10	1/4"	**362411014**
		3/8"	**362411038**
	12	1/4"	**362411214**
		3/8"	**362411238**
		1/2"	**362411242**
	14	1/2"	**362411442**
	16	1/2"	**362411642**
	20	3/4"	**362412044**
	25	1"	**3624125100**
	30	1"1/4	**3624130114**
	38	1"1/2	**3624138142**




MISCELLANEOUS

Index


Fitting R13



Fitting to Weld



Reusable Fitting




Valve



Flange



Coupling



Assembly



Low Pressure Fitting

